




proudly distributed by

DoPchoice GmbH
Dankstraße 4, 81321 Munich, Germany
+49 177 234 08 03, info@dopchoice.com

Direct Your Soft Light
It's a snap!






Softlight rethought.

DoPchoice grids at the set of »Vision - Hildegard von Bingen« courtesy of Axel Block bvK

BUTTERFLY

SNAPGRID®

SNAPBAG™
NEW



As easy as 1.. 2 .. 3 ..
Takes just seconds to install



cinec Innovation Award

Engineered by a DoP for DoPs.

Stefan Karle, the Founder of DoPchoice, was tired of all the ill-conceived lighting solutions at his film locations. Based on his knowledge collected in over ten years working as DoP, associate professor at the University of Television and Film in


Munich and lecturer for ARRI Lighting he started to develop new lighting solutions. In 2008 he filed his first patent application and founded DoPchoice. His aim is to satisfy highest demands of professional DoPs worldwide.



No tummy
Always tight



No hassle
Simple installation



No wearout
Extremely durable

APPROVED BY
BB&S FOR AREA48
K5600 FOR ALPHA 200
SMARTLIGHT FOR SL1
AND MANY MORE

PATENT US 8.014.654
AND OTHERS PENDING

BUTTERFLY

SNAPGRID®


SNAPBAG®



SNAPBAG®
for
ANY LUMINAIRE



INTENSIFIED SOFT LIGHT



WITHOUT SPEEDRING HASSLE




WWW.DOPCHOICE.COM

BUTTERFLY
SNAPGRID®
SNAPBAG®


for

ANY LUMINAIRE


APPROVED BY
BB&S FOR AREA48
K5600 FOR ALPHA 200
SMARTLIGHT FOR SL1
AND MANY MORE




SNAPBAG® BARN DOOR FIT
BB&S AREA 48
CINEROID LM400
more to come



SNAPBAG® FILTER HOLDER FIT
K5600 ALPHA 200
more to come



SNAPBAG® DUO POLE FIT
CINEO TRUCOLOR HS
SMARTLIGHT SL1
more to come



SNAPBAG® 1X1 MULTI FIT
ALMOST ANY 1X1 LED PANEL
from 24cm to 32cm

SNAPBAG® SINGLE FIT
CINEO TRUCOLOR LS
CREAMSOURCE MINI / FULL



INDIVIDUAL SNAPBAG®
FOR YOUR LED AND HMI SYSTEM
AVAILABLE IN ANY SIZE



SNAPBAG VIDEOS
COMING SOON TO
DOPCHOICE.COM

INSTALLED WITH A SNAP



SNAPBAGS ARE STORED FLAT. THEY SNAP UP TO A SELF STABILIZING BAG WHICH IS EASY TO ATTACH TO ALMOST ANY LUMINAIRE


FITS TO ALL COMMON
GEL FRAMES

PATENT US 8.014.654
AND OTHERS PENDING

BUTTERFLY

SNAPGRID®

SNAPBAG®



SNAPGRID® & SNAPBAG®
for
FROST FRAME



FOR FROST & GEL FRAME



ATTACH THE SNAPBAG® TO THE FRAME



WWW.DOPCHOICE.COM

BUTTERFLY

SNAPGRID®


SNAPBAG®

for


FROSTFRAME

FITS TO ALL COMMON
GEL FRAMES


AVAILABLE SIZES





SNAPGRID® SGF46
FOR FROST FRAME
120 × 200 cm / 4' × 6'7"




SNAPGRID® SGF55
FOR FROST FRAME
150 × 150 cm / 5' × 5'




SNAPGRID® SGF44
SNAPBAG® SBF44
120 × 120 cm / 4' × 4'



SNAPGRID® SGF11M
FOR FROST FRAME
100 × 100 cm / 3'3" × 3'3"



SNAPGRID® SGF33
FOR FROST FRAME
90 × 90 cm / 3' × 3'



SNAPGRID® SGF22
FOR FROST FRAME
60 × 60 cm / 2' × 2'



SNAPGRID® & SNAPBAG®
INDIVIDUAL FOR YOUR FRAME
AVAILABLE IN ANY SIZE



WATCH THE VIDEO
FROST FRAME GRIDS
DOPCHOICE.COM

EASY INSTALLATION



JUST FLIP THE ELASTICS OVER THE CORNERS
TO INSTALL YOUR SNAPGRID® & SNAPBAG®

2 IN 1 SNAPGRID®



WITH THE 2 IN 1 SNAPGRID® YOU GET 2 DIFFERENT
LIGHT DISTRIBUTION ANGELES JUST BY ROTATING
YOUR FRAME THROUGH 90°.

AVAILABLE DEGREES

LIGHT DISTRIBUTION



30°



STANDARD 40°



50°



2in1 30°/50°



2in1 50°/30°

APPROVED BY
KINO FLO

PATENT US 8.014.654
AND OTHERS PENDING

BUTTERFLY

SNAPGRID®

SNAPBAG®



SNAPGRID®
for
KINO FLO



KINO FLO 4BANK



KINO FLO FLATHEAD



WWW.DOPCHOICE.COM

BUTTERFLY

SNAPGRID®


SNAPBAG®

for


KINO FLO

APPROVED BY
KINO FLO


AVAILABLE SIZES




50° SNAPGRID® SGK24W50
FOR KINO FLO 4BANK 2FT & DIVA 400
69 × 33 cm



40° SNAPGRID® SGK44W40
FOR KINO FLO 4BANK 4FT
132 × 33 cm



50° SNAPGRID® SGK48W50
FOR KINO FLO FLATHEAD 80
129 × 61 cm



50° SNAPGRID® SGK44W50
FOR KINO FLO 4BANK 4FT
132 × 33 cm



INDIVIDUAL SNAPGRID®
FOR YOUR TUBE SYSTEM
AVAILABLE IN ANY SIZE



WATCH THE VIDEO
KINO FLO GRIDS
DOPCHOICE.COM

EASY INSTALLATION



JUST FLIP THE ELASTICS OVER THE
CORNERS TO INSTALL YOUR SNAPGRID®

FORGET SPILL LIGHT



SIDE COVERS PREVENT
EMITTING OF SPILL LIGHT



PATENT US 8.014.654
AND OTHERS PENDING

BUTTERFLY

SNAPGRID®

SNAPBAG®



SNAPGRID® *for* CHIMERA



RECTANGULAR SOFTBOX



OCTAGONAL SOFTBOX



LED SOFTBOX



WWW.DOPCHOICE.COM

AVAILABLE SIZES




SNAPGRID® SGCLT
 FOR CHIMERA LED1x1 KIT
 38 × 38 cm




SNAPGRID® SGCXXS
 FOR CHIMERA XXS
 30 × 40 cm




SNAPGRID® SGCXS
 FOR CHIMERA XS
 40 × 55 cm




SNAPGRID® SGCS
 FOR CHIMERA SMALL
 60 × 80 cm



SNAPGRID® SGCM
 FOR CHIMERA MEDIUM
 90 × 120 cm




SNAPGRID® SGCL
 FOR CHIMERA LARGE
 135 × 180 cm




SNAPGRID® SGC5 / SGC7
 FOR CHIMERA OCTAPLUS
 5 FT Ø 150cm / 7 FT Ø 210cm




INDIVIDUAL SNAPGRID®
 FOR YOUR CHIMERA
 AVAILABLE IN ANY SIZE



SNAPGRID® SGCSS
 FOR CHIMERA SMALL STRIP
 20 × 90 cm



SNAPGRID® SGCMS
 FOR CHIMERA MEDIUM STRIP
 35 × 140 cm



SNAPGRID® SGCSL
 FOR CHIMERA LARGE STRIP
 50 × 120 cm



WATCH THE VIDEO
 TIPS & TRICKS
DOPCHOICE.COM

AVAILABLE DEGREES LIGHT DISTRIBUTION



30°



STANDARD 40°



50°



2in1 30°/50°




2in1 50°/30°

COMPATIBLE TO
COMMON FRAMES

BUTTERFLY

SNAPGRID®


SNAPBAG®



BUTTERFLY GRID



NO TUMMY



NO WEAROUT



NO HASSLE



WWW.DOPCHOICE.COM

BUTTERFLY

SNAPGRID®

SNAPBAG®


for

OVERHEAD FRAMES

AVAILABLE SIZES



BUTTERFLY GRID B0606
FOR BUTTERFLY FRAMES
6 × 6 FT




BUTTERFLY GRID B0808
FOR BUTTERFLY FRAMES
8 × 8 FT




BUTTERFLY GRID B1208
FOR BUTTERFLY FRAMES
12 × 8 FT




INDIVIDUAL BUTTERFLY GRID
FOR YOUR OVERHEAD FRAME
AVAILABLE IN ANY SIZE



BUTTERFLY GRID B1212
FOR BUTTERFLY FRAMES
12 × 12 FT



BUTTERFLY GRID B2012
FOR BUTTERFLY FRAMES
20 × 12 FT



BUTTERFLY GRID B2020
FOR BUTTERFLY FRAMES
20 × 20 FT



WATCH THE VIDEO
TIPS AND TRICKS
DOPCHOICE.COM

COMPATIBLE TO COMMON FRAMES



□ = 30mm
DIAMETER FOR RECTANGULAR
FRAME PROFILES.



○ > 42mm
MINIMUM DIAMETER FOR CIRCULAR
FRAME PROFILES.



48mm
COMPATIBLE TO MOST COMMON
FRAME SOLUTIONS.

SAFELY STORED



EVERY GRID
COMES WITH A DOPCHOICE BAG MADE OF ROBUST CANVAS

STAYS CLEAN WHEREVER YOU PUT IT



THE INNOVATIVE DOPCHOICE BRACKETS
KEEP A DISTANCE FROM DIRT AND DUST

AVAILABLE DEGREES LIGHT DISTRIBUTION



30°



STANDARD 40°



50°



2in1 30°/50°



2in1 50°/30°